

Infosafe No™	3CHDF	Issue Date : January 2018	RE-ISSUED by CHEMSUPP
--------------	-------	---------------------------	-----------------------

Product Name : **G2 GILL'S HAEMATOXYLIN STAIN**

Classified as hazardous

1. Identification

GHS Product Identifier G2 GILL'S HAEMATOXYLIN STAIN

Product Code 611

Product Type Water solution of ingredients including ethylene glycol.

Company Name Kinetik Pty Ltd (ABN 53 605 811 532)

Address Unit 10, 12 - 16 Robart Court, Narangba
Queensland 4506 Australia

Telephone/Fax Number Tel: 07 3203 0401
Fax: 07 3203 0421

Recommended use of the chemical and restrictions on use Cytological staining.

Other Information EMERGENCY CONTACT NUMBER: +61 07 3203 0401
Business hours: 8:30am to 5:00pm, Monday to Friday.

Kinetik Pty Ltd does not warrant that this product is suitable for any use or purpose. The user must ascertain the suitability of the product before use or application intended purpose. Preliminary testing of the product before use or application is recommended. Any reliance or purported reliance upon Kinetik Pty Ltd with respect to any skill or judgement or advice in relation to the suitability of this product of any purpose is disclaimed. Except to the extent prohibited at law, any condition implied by any statute as to the merchantable quality of this product or fitness for any purpose is hereby excluded. This product is not sold by description. Where the provisions of Part V, Division 2 of the Trade Practices Act apply, the liability of Kinetik Pty Ltd is limited to the replacement of supply of equivalent goods or payment of the cost of replacing the goods or acquiring equivalent goods.

2. Hazard Identification

GHS classification of the substance/mixture Acute Toxicity - Oral: Category 4

Signal Word (s) WARNING

Hazard Statement (s) H302 Harmful if swallowed.

Pictogram (s) Exclamation mark



Precautionary statement – Prevention P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

Precautionary statement – Response P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330 Rinse mouth.

Precautionary statement – Storage P405 Store locked up.

Precautionary statement – Disposal P501 Dispose of contents/container to an approved waste disposal plant.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion	Hazard Symbol	Risk Phrase
	Ethylene glycol	107-21-1	25 %	Xn	R22
	Aluminium sulfate	7784-31-8	3.3 %		
	Acetic acid	64-19-7	2 %		

Infosafe No™	3CHDF	Issue Date : January 2018	RE-ISSUED by CHEMSUPP
--------------	-------	---------------------------	-----------------------

Product Name : **G2 GILL'S HAEMATOXYLIN STAIN**

Classified as hazardous

Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>	<u>Hazard Symbol</u>	<u>Risk Phrase</u>
	Haematoxylin	517-28-2	0.4 %		
	Sodium Iodate	7681-55-2	0.04 %		
	Water to make a total of 100%	7732-18-5	-		
Other Information	This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.				

4. First-aid measures

Inhalation	Inhalation of any vapours from this product is not likely to present an acute hazard.
Ingestion	Rinse mouth thoroughly with water immediately, repeat until all traces of product have been removed. DO NOT INDUCE VOMITING. Seek medical advice if effects persist.
Skin	Irritation unlikely. If irritation occurs wash with plenty of soap and water.
Eye contact	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open.
First Aid Facilities	Maintain eyewash fountain and safety shower in work area.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of the patient.
Other Information	For advice, contact the National Poisons Information Centre (Phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

5. Fire-fighting measures

Hazards from Combustion Products	No significant quantities of decomposition products are expected at temperatures normally achieved in a fire.
Specific Methods	This product contains a substantial proportion of water therefore there are no restrictions on the type of extinguishing media which may be used. No limitations to the type of extinguishing media.

6. Accidental release measures

Personal Protection	Wear protective clothing specified for normal operations (see Section 8)
Clean-up Methods - Small Spillages	Absorb or contain liquid with sand, earth or spill control material. Shovel up using non sparking tools and place in a labelled, sealable container for subsequent safe disposal. Put leaking containers in a labelled drum or overdrum.

7. Handling and storage

Handling and Storage	This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Make sure that the product does not come into contact with substances listed under 'Incompatibilities' in Section 10.
Precautions for Safe Handling	No specific measures

8. Exposure controls/personal protection

Occupational exposure limit values	<u>Name</u>	<u>STEL</u>		<u>TWA</u>		<u>Footnote</u>
		<u>mg/m3</u>	<u>ppm</u>	<u>mg/m3</u>	<u>ppm</u>	
	Ethylene glycol	120		60		
	Acetic acid	37	15	25	10	
Other Exposure Information	TWA - the Time-Weighted Average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life. STEL (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday. According to current knowledge these concentrations should neither impair the health of, nor cause undue discomfort to, nearly all workers. These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. Exposure Standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.					
Appropriate engineering controls	Maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. These methods should be used in preference to personal protective equipment.					
Respiratory Protection	Usually not required. Where ventilation is not adequate, respiratory protection may be required. Avoid breathing dust, vapours					

Infosafe No™	3CHDF	Issue Date : January 2018	RE-ISSUED by CHEMSUPP
--------------	-------	---------------------------	-----------------------

Product Name : **G2 GILL'S HAEMATOXYLIN STAIN**

Classified as hazardous

Eye Protection	or mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. Filter capacity and respirator type depends on exposure levels. In event of emergency or planned entry into unknown concentrations a positive pressure, full-facepiece SCBA should be used. If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.
Hand Protection	Normally not required but if in doubt ensure eye protection complies with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.
Personal Protective Equipment	Normally not required but if in doubt ensure hand protection should complies with AS 2161, Occupational protective gloves - Selection, use and maintenance.
Hygiene Measures	Final choice of personal protective equipment will depend on individual circumstances and/or according to risk assessments undertaken.
	Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

9. Physical and chemical properties

Appearance	Deep blue/purple solution.
Odour	Odourless.
Melting Point	Below 0°C
Boiling Point	Approx. 100°C at 100kPa.
Solubility in Water	Completely.
Specific Gravity	Approx 1.00
Vapour Pressure	2.37 kPa at 20°C (water vapour pressure)
Flammability	Non flammable.

10. Stability and reactivity

Chemical Stability	Stable under normal use conditons.
Conditions to Avoid	None known
Incompatible Materials	Strong acids. Strong bases.
Hazardous Decomposition Products	No significant quantities of decomposition products are expected at temperatures normally achieved in a fire.
Hazardous Polymerization	Will not occur.

11. Toxicological Information

Toxicology Information	No adverse health effects expected if the product is handled in accordance with this Material Safety Data Sheet and the product label.
Ingestion	Significant oral exposure is considered to be unlikely. May be irritating to mucous membrane but is unlikely to cause anything more than transient discomfort.
Inhalation	Product is not harmful, but may be slightly irritating in the short term.
Skin	No adverse effects expected, possibly of slight irritation. However will stain the skin, and the stain may be difficult to remove, but should not cause any adverse health effects.
Eye	May be mildly irritating to the eyes.
Carcinogenicity	Not classified as a human carcinogen.
Chronic Effects	Repeated ingestion exposure to Ethylene Glycol caused histopathological changes of the kidneys and bone marrow, kidney effects with oxalate crystal deposition, altered haematology, and decreased body weight. Long-term exposure caused kidney effects with oxalate crystal deposition, histopathological changes of the kidneys, liver, blood vessels, testes, and sperm, and decreased body weight. No deaths occurred in animals exposed by inhalation to saturated vapours of Ethylene Glycol. Repeated inhalation exposure caused histopathological changes of the liver and lungs, eye irritation and clouding of the eye (corneal opacity). In animal testing Ethylene Glycol has not caused carcinogenicity. Reproductive data on adult animals show interference with reproduction only at levels which produce other toxic effects in the adult animal. Tests have shown Ethylene Glycol to cause developmental toxicity in animals. Ethylene Glycol has not produced genetic damage in bacterial cultures. There are reports indicating that Ethylene

Infosafe No™	3CHDF	Issue Date : January 2018	RE-ISSUED by CHEMSUPP
--------------	-------	---------------------------	-----------------------

Product Name : **G2 GILL'S HAEMATOXYLIN STAIN**

Classified as hazardous

Mutagenicity	Glycol does not produce genetic damage in some animal or mammalian cell culture tests, however there are reports in the literature that suggest positive results. No evidence of mutagenic properties.
---------------------	---

12. Ecological information

Ecotoxicity	The product is believed to not be a dangerous to the environment with respect to mobility, persistency and degradability, bioaccumulative potential, aquatic toxicity and other measures or relating to ecotoxicity.
--------------------	--

13. Disposal considerations

Disposal Considerations	Whatever cannot be saved for recovery or recycling should be disposed of according to relevant local, state and federal government regulations.
--------------------------------	---

14. Transport information

Transport Information	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
------------------------------	--

15. Regulatory information

Regulatory Information	All of the significant ingredients in this formulation are compliant with NICNAS regulations.
Poisons Schedule	S6

16. Other Information

Literature References	'Standard for the Uniform Scheduling of Medicines and Poisons No. 15', Commonwealth of Australia, November 2016. Lewis, Richard J. Sr. 'Hawley's Condensed Chemical Dictionary 13th. Ed.', Rev., John Wiley and Sons, Inc., NY, 1997. National Road Transport Commission, 'Australian Code for the Transport of Dangerous Goods by Road and Rail 7th. Ed.', 2007. Safe Work Australia, 'National Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals', 2011. Standards Australia, 'SAA/SNZ HB 76:2010 Dangerous Goods - Initial Emergency Response Guide', Standards Australia/Standards New Zealand, 2010. Safe Work Australia, 'Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004)]'. Safe Work Australia, 'Hazardous Substances Information System, 2005'. Safe Work Australia, 'National Code of Practice for the Labelling of Safe Work Hazardous Substances (2011)'. Safe Work Australia, 'National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995) 3rd Edition]'.
------------------------------	--

Contact

Person/Point

DISCLAIMER STATEMENT:

All information provided in this data sheet or by our technical representatives is compiled from the best knowledge available to us. However, since data, safety standards and government regulations are subject to change and the conditions of handling and use, or misuse, are beyond our control, we make no warranty either expressed or implied, with respect to the completeness or accuracy to the information contained herein. Kinetik Pty Ltd accepts no responsibility whatsoever for its accuracy or for any results that may be obtained by customers from using the data and disclaims all liability for reliance on information provided in this data sheet or by our technical representatives.
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.